

**NETWORK INTEGRATION (NT)
TRANSMISSION SERVICE REQUEST DATA EXHIBIT**

BPA Transmission (BPAT) Customers are required to provide information identified below in order to qualify as a Completed Application for Long-Term Firm Network Integration Transmission Service. Upon submission, BPAT will validate this Data Exhibit within 15 days. If BPAT determines the information supplied by the Customer to be deficient, the Customer will have 15 days to remedy all identified deficiencies and re-submit the Data Exhibit.

If the Customer is unable to remedy identified deficiencies within the specified timeline, the BPAT will deem the Application incomplete and DECLINE the associated Transmission Service Request (TSR) over BPAT’s Open Access Same-time Information System (OASIS).

Completed Data Exhibit should be submitted to txrequests@bpa.gov with a copy to the Customer’s Transmission Account Executive.

Customer Name	
Point of Contact (include email and phone)	
Date Submitted	
Date Validated <i>(to be completed by BPAT)</i>	

Table 1: Customer TSR Information

Table 1 is the minimum data requirement for all long-term firm TSRs on the BPA network.

AREF # (TSR)	Quantity (MW)	Source/Point of Receipt (POR)	Sink/Point of Delivery (POD)



**NETWORK INTEGRATION (NT)
TRANSMISSION SERVICE REQUEST DATA EXHIBIT**

1. ON-SYSTEM: ULTIMATE RESOURCE

a. The Customer will identify the name and location of the generating facility(ies) supplying the capacity and energy.

- Location of Generating Facility (including county and substation name, voltage and any other geographical description of the POR):

- Name of Generation Facility:

- Type of Resource (thermal, wind, solar, etc):

- If the expected capacity and energy output associated with the TSR is from a new generating facility(ies), the Customer will also provide the corresponding Generation Interconnection Request number (i.e. GI #).

b. The Customer will provide the identity(ies) of the Delivering Party. Pursuant to the OATT, the Delivering Party is defined as the entity supplying the capacity and energy transmitted at Point(s) of Receipt.

- Delivering Party:



**NETWORK INTEGRATION (NT)
TRANSMISSION SERVICE REQUEST DATA EXHIBIT**

2. OFF-SYSTEM: ULTIMATE RESOURCE

- a. If the generating facility(ies) is not interconnected into BPA’s Balancing Area Authority (BAA), the Customer will provide the BAA of the generating facility(ies) and the delivery points to (point of electrical interconnection with) BPA’s BAA (i.e. substation and voltage). In addition, the Customer will work with BPA to acquire the appropriate level of information (e.g. transmission arrangements on the external transmission system(s), Remedial Action Scheme(s), etc.) to complete the SIS.

- Balancing Area Authority:

- Delivery Point to BPA Transmission System:

- Type of Resource (thermal, wind, solar, etc):

- Transmission Arrangements with adjacent Balancing Area Authority:

- If the expected capacity and energy output associated with the TSR is from a new generating facility(ies), the Customer will provide the corresponding Generation Interconnection Request number (i.e. GI #).

- If the facility is interconnecting to another Transmission Provider’s transmission system, the name of the host Transmission Provider.

- b. The Customer will provide the identity(ies) of the Delivering Party. Pursuant to the OATT, the Delivering Party is defined as the entity supplying the capacity and energy to be transmitted at Point(s) of Receipt.

- Delivering Party:



**NETWORK INTEGRATION (NT)
TRANSMISSION SERVICE REQUEST DATA EXHIBIT**

3. ULTIMATE LOAD

a. The Customer will identify the location of the load ultimately served by the capacity and energy transmitted (that is, the electrical point: substation and voltage on BPAT).

- Location of load ultimately served (substation and voltage on BPAT):

OR,

- Name of generating facility(ies) displaced (i.e. reduce generation output) due to the capacity and energy transmitted:

- If the load to be served is associated with a Line and Load Interconnection Request (LLIR), the customer should provide the LLIR #:

b. The Customer will provide the identity(ies) of the Receiving Party. Pursuant to the OATT, the Receiving Party is defined as the entity receiving the capacity and energy transmitted by the Transmission Provider to Point(s) of Delivery.

- Receiving Party:

